



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
-----------------	-------------	----------------------	---------------------

09/297,570	06/24/99	NYGREN	J 9847-0009-SX
------------	----------	--------	----------------

MM91/0323
OBLON SPIVAK MCCLELLAND MAIER & NEUSTADT
1755 JEFFERSON DAVIS HIGHWAY
FOURTH FLOOR
ARLINGTON VA 22202

EXAMINER

WAKS, J

ART UNIT

PAPER NUMBER

2834

DATE MAILED:

03/23/01

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

Office Action Summary

Application No.
09/297,570

Applicant(s)
Nygren et al.

Examiner
Joseph Waks

Group Art Unit
2834



☒ Responsive to communication(s) filed on Dec 12, 2000

☒ This action is **FINAL**.

☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11; 453 O.G. 213.

A shortened statutory period for response to this action is set to expire 3 month(s), or thirty days, whichever is longer, from the mailing date of this communication. Failure to respond within the period for response will cause the application to become abandoned. (35 U.S.C. § 133). Extensions of time may be obtained under the provisions of 37 CFR 1.136(a).

Disposition of Claims

☒ Claim(s) 13-26 is/are pending in the application.

Of the above, claim(s) _____ is/are withdrawn from consideration.

☐ Claim(s) _____ is/are allowed.

☒ Claim(s) 13-15, 17, and 21-26 is/are rejected.

☒ Claim(s) 16 and 18-20 is/are objected to.

☐ Claims _____ are subject to restriction or election requirement.

Application Papers

☐ See the attached Notice of Draftsperson's Patent Drawing Review, PTO-948.

☐ The drawing(s) filed on _____ is/are objected to by the Examiner.

☒ The proposed drawing correction, filed on lpr 3 and Dec 12, 2000 is ☒ approved ☐ disapproved.

☐ The specification is objected to by the Examiner.

☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. § 119

☐ Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d).

☐ All ☐ Some* ☐ None of the CERTIFIED copies of the priority documents have been received.

☐ received in Application No. (Series Code/Serial Number) _____

☐ received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

*Certified copies not received: _____

☐ Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).

Attachment(s)

☐ Notice of References Cited, PTO-892

☐ Information Disclosure Statement(s), PTO-1449, Paper No(s). _____

☐ Interview Summary, PTO-413

☐ Notice of Draftsperson's Patent Drawing Review, PTO-948

☐ Notice of Informal Patent Application, PTO-152

--- SEE OFFICE ACTION ON THE FOLLOWING PAGES ---

Art Unit: 2834

DETAILED ACTION

Specification

1. Please notice that the entered specification is the specification originally submitted in the PCT/SE97/1844 application. Please refer any amendments to this specification

Drawings

2. The proposed drawing correction and/or the proposed substitute sheets of drawings, filed on April 3 and December 12, 2000 have been approved and entered.

Claim Rejections - 35 USC § 112

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

4. **Claim 22** is rejected under 35 U.S.C. 112, first paragraph, as containing subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

Re claim 22, the recited limitation of the fault current control device being configured to mechanically stabilize the set of winding is not described in specification or shown in drawings in such way that one skill in the art will be able to understand the relation between the claimed

Art Unit: 2834

device comprising the elongated member of electrically conducting material connected to the ground and disposed in the end winding region and the mechanical stability of the windings in this region, in particular applicants did not provide any criteria for what applicants consider as the mechanically stabilized winding and what configuration of the device provide or contribute to the recited stabilization.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. **Claims 13-15, 26** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Nikitin et al. (US 4,429,244)** in view of **Anderson et al. (US 3,670,192)**.

Nikitin et al. disclose in Figure 2, a rotating electric machine, in particular a generator for high voltage operation comprising a stator, a set of windings 5 having high-voltage cables 6 (Re column 3, lines 34-36) enclosing an electric field in the set of windings, and the windings 5 having an end winding regions with an elongated member of an electrically conductive material. The rotor that is not directly disclosed by **Nikitin et al.** is inherent to the disclosed high voltage generator. However, **Nikitin et al.** fail to disclose a fault current control device including the

Art Unit: 2834

elongated member of an electrically conductive material connected to ground or means for conducting the fault current to the ground.

Anderson et al. disclose in Figure 1 a rotating electrical machine having a fault current control device including a number of elongated members 8, 9 of an electrically conductive material connected to ground and disposed in the end winding region (Re. Abstract, and line 1 and specification column 2, lines 59-67) for the purpose of preventing a glow discharge from the coil ends.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to design the as taught by **Nikitin et al.** and to provide the means for conducting the fault current to the ground or the fault current control device including the elongated member of an electrically conductive material connected to ground and disposed in the end winding region as taught by **Anderson et al.** for the purpose of preventing a glow discharge from the coil ends.

7. **Claim 17** is rejected under 35 U.S.C. 103(a) as being unpatentable over **Nikitin et al.** (US 4,429,244) in view of **Anderson et al.** (US 3,670,192) as applied to claim 13 above.

The combined machine discloses all elements essentially as claimed. However, it fails to disclose the elongated member including a plurality of small conductors combined into a bundle having a predetermined cross-sectional area configured to deflect short-circuit currents arising during a fault event.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to design the combined machine and to provide the elongated member including a

Art Unit: 2834

plurality of small conductors combined into a bundle having a predetermined cross-sectional area for the purpose of meeting loads in large size generators and to reduce the eddy currents since it require a mere duplication of the essential working parts of a device. It has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. *St. Regis Paper Co. v. Bemis Co.*, 193 USPQ 8.

8. **Claim 21** is rejected under 35 U.S.C. 103(a) as being unpatentable over **Nikitin et al.** (US 4,429,244) in view of **Anderson et al.** (US 3,670,192) as applied to claim 13 above and further in view of **Auclair** (US 5,429,532).

The combined rotating electrical machine includes all elements essentially as claimed. However, it fails to disclose a fault control device comprising a flexible wire.

Auclair teaches in Figure 1-3 and 7, and in column 2, lines 52-54 a cable fault control device comprising a conventional flexible wire 16 or 18 serving as a ground connector.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to design the combined electric machine and to provide the fault current control with the conventional flexible wire as taught by **Auclair** for the purpose of allowing a ground connection easy to use in limited space.

9. **Claim 23** is rejected under 35 U.S.C. 103(a) as being unpatentable over **Nikitin et al.** (US 4,429,244) in view of **Anderson et al.** (US 3,670,192) as applied to claim 13 above and further in view of **Elton et al.** (US 5,036,165).

Art Unit: 2834

The combined rotating electrical machine teaches all elements essentially as claimed, including the high-voltage flexible cables having a current carrying conductor disposed within an insulating part. However, it fails to disclose the high-voltage flexible cable having a current carrying conductor disposed within an inner layer of material having semiconducting properties, wherein the inner insulating layer being disposed within a solid insulating part disposed within an outer layer of semiconductive material.

Elton et al. teach in Figure 1 a high-voltage flexible cable 100 having a current carrying conductor 102 disposed within an inner layer 104 of material having semiconducting properties, wherein the inner insulating layer 104 being disposed within a solid insulating part 106 disposed within an outer layer of semiconductive material 110 for the purpose of providing a layer in intimate contact with insulated windings of an electrical machine, and being in contact with ground to bleed of charges thereof and to minimize the possibility of a corona discharge.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to design the combined electric machine and to provide the high-voltage flexible cable having a current carrying conductor disposed within an inner layer of material having semiconducting properties, wherein the inner insulating layer being disposed within a solid insulating part disposed within an outer layer of semiconductive material as taught by **Elton et al.** for the purpose of providing a layer in intimate contact with insulated windings of an electrical machine, and being in contact with ground to bleed of charges thereof and to minimize the possibility of a corona discharge.

Art Unit: 2834

10. **Claims 24 and 25** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Nikitin et al. (US 4,429,244)** in view of **Anderson et al. (US 3,670,192)** as applied to claim 13 above and further in view of **Simmons et al. (US 4,997,995)**.

The combined rotating electrical machine teaches all elements essentially as claimed including the winding being configured to carry a high-voltage up to 110 kV (Re Nikitin et al., column 1, lines 50-64). However, it fails to disclose the windings being configured to operate an inclusive high voltage range of 400 kV through 800 kV.

Simmons et al. teach in Figure and in column 3, lines 7-14 the structure and method of making an extra- high-voltage flexible cable rated for 400 kV and above with a reduced insulation thickness for the purpose of maintaining an acceptable cable diameter.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to design the combined electric machine and to provide the high-voltage flexible cable rated for 400 kV and above with a reduced insulation thickness as taught by **Simmons et al.** for the purpose of maintaining an acceptable cable diameter as required for stator winding. It would have been further obvious to one having ordinary skill in the art at the time the invention was made to optimize the insulation thickness as required for 800 kV winding, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

Art Unit: 2834

Allowable Subject Matter

11. **Claims 16 and 18-20** are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Re claim 16, the feature of the fault current control device including the slotted elongated member reducing eddy-current losses, in combination with the other limitations present, are neither disclosed or taught by the prior art of record.

Re claims 18-20, the feature of the spacer made of resilient, electrically conducting material applied between high-voltage cables in the end winding region positioned to contact respective outer semi-conductive layers of the high-voltage cables, in combination with the other limitations present, are neither disclosed or taught by the prior art of record.

Response to Arguments

12. Applicant's arguments filed on December 12, 2000 have been fully considered but they are not persuasive.

In response to applicants arguments with respect to the rejection of claim 22 under USC 112 first paragraph examiner directs applicants attention that the cited paragraph of specification (i.e. page 5, lines 2-24) describes many details that are not related to the claimed mechanical stability of the set of windings in the end winding region. The closest feature that may be

Art Unit: 2834

considered as being related to the mechanical stability is the feature of the cables clamped together.

However, there is no mentioning in the cited paragraph of any attempt to mechanically stabilize the winding and they may be many reasons to clamp the cables together (like to facilitate the installation of the device for example).

Since the features contributing or specifically providing the mechanical stabilization of the windings is not shown in the drawings and is not described in the specification the rejection of claim 22 under USC 112 first paragraph is appropriate.

Re claims 13-15, 21 and 26, applicants arguments with respect to various design features of Andersson et al. and Nikitin et al. are not related to the applicants claimed features. In essence no specific voltage difference or other conditions defining specific operational or other demands not met by the prior art documents are recited in the discussed claims. Moreover, the resistor provided by Andersson et al. and the insulation provided by Nikitin et al. are in the essence elements of the fault current control device since they protect and control the fault current that may be developed by the machine. The potential difference at which the fault current control is triggered, activated and/or operated is not included in the claims.

With respect to the arguments concerning high voltage cables enclosing the electrical field within the winding please refer to the response to arguments provided in previous Office action.

Art Unit: 2834

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Communication

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph Waks whose telephone number is (703)308-1676 . The examiner can normally be reached on Mondays thru Fridays from 8:00am to 4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nestor Ramirez, can be reached on (703) 308-1371. The fax phone number for the organization where this application or proceeding is assigned is (703) 308-5841.

Application/Control Number: 09/297,570

Page 11

Art Unit: 2834

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.



JOSEPH WAKS
PATENT EXAMINER
TC-2800

JW
March 7, 2001